

ROTATIVOS LEDS 12/24VDC

DC12/24V LEDs Beacon lights

DC12/24V - 3 funciones
Rotación, Doble destello y Seis destellos

DC12 / 24V - 3 functions
Rotation, Double flash and Six flashes

DARTL001AM
AMBAR / AMBER



Altura 48,5 mm x Ø 112mm
12/24V

DARTL001RJ
ROJO / RED



ECE Reg. 65 ECE Reg. 10 (EMC) Category T (for single flash pattern - 124 fpm)

DARTL001AZ
AZUL / BLUE



DARTL002AM
AMBAR / AMBER



Altura 52 mm x Ø 112mm
12/24V

DARTL002RJ
ROJO / RED



ECE Reg. 65 ECE Reg. 10 (EMC) Category T (for single flash pattern - 124 fpm)
Base magnetica *Magnetic Base*

DARTL002AZ
AZUL / BLUE



CARTL010 LED



R10
12/24V

Altura 118mm X Ø 112mm
16 LEDs SMD
CON BATERIA (4 pilas AA)

JBRTL2499 LED



R10 12/24V

Altura 160mm x Ø 145mm
Con base imantada y cable espiral

JBRTL52XXX LED



R10 12/24V

Altura 95mm x Ø 129mm
Con base imantada y cable espiral

ROTATIVOS LEDS 12/24VDC

DC12/24V LEDs Beacon lights

DC12/24V - 3 funciones
Rotación, Doble destello y Seis destellos

DC12 / 24V - 3 functions
Rotation, Double flash and Six flashes

JBRTL3130 LED



R65
R10
12/24V

Altura 160mm x Ø 140mm
Base imantada y cable espiral

JBRTL2375 LED



R10
12/24V

Altura 160mm x Ø 140mm
Con base imantada y cable espiral

JBRTL2548 LED



R65
R10
12/24V

Altura 135mm x Ø 142mm
Con base imantada y cable espiral

JBRTL3131 LED



R65
R10
12/24V

Altura 250mm x Ø 128mm
Con Base flexible

JBRTL2456 LED



R10
12/24V

Altura 190mm x Ø 128mm
Con base flexible

JBRTL2549 LED



R65
R10
12/24V

Altura 129mm x Ø 208mm
Con base flexible

ROTATIVOS HALOGENOS

BEACON HALOGEN LIGHTS

JBRT196X Halogeno



R65
R10
12 ó 24V

Altura 160mm X Ø 128mm

JBRTL1962-12V-35W
JBRTL1963-24V-55W

JBRT196X Halogeno



R65
R10
12 ó
24V

Altura 160mm X Ø 128mm
Base imantada y cable espiral

JBRTL1960-12V-35W
JBRTL1961-24V-55W

JBRT196X Halogeno



R65
R10
12/24V

Altura 240mm X Ø 128mm
Con base flexible

JBRTL1964-12V-35W
JBRTL1965-24V-55W

ROTATIVOS LEDS 12/24VDC

DC12/24V LEDs Beacon lights

DC12/24V - 3 funciones
Rotación, Doble destello y Seis destellos

DC12 / 24V - 3 functions
Rotation, Double flash and Six flashes

CARTL100 LED



R65 R10 12/24V

Altura 46mm X Ø 112mm 12/24V
18 LEDs x 1W
Base imantada y cable espiral.

CARTL105 LED



R65
R10

12/24V

Altura 140mm X Ø 112mm
18 LEDs x 1W
Con base flexible

CARTL025 LED



R65
R10

12/24V

Altura 140mm x Ø 140mm
12 LEDs x 3W
Con base imantada y cable espiral

CARTL020 LED



R10

12/24V

Altura 140mm x Ø 140mm
12 LEDs x 3W
Con base imantada y cable espiral

CARTL035



R65
R10

12/24V

Altura 209mm X Ø 127mm
12 LEDs x 3W
Con base flexible

CARTL030



R10

12/24V

Altura 209mm X Ø 127mm
12 LEDs x 3W
Con base flexible

CARTL045 LED



R65
R10

12/24V

Altura 87mm x Ø 140mm
12 LEDs x 3W
Con base imantada y cable espiral

CARTL055



R65
R10

12/24V

Altura 156mm X Ø 120mm
12 LEDs x 3W
Con base flexible

CARTL085



R65
R10

12/24V

Altura 95mm X Ø 130mm
40 LEDs SMD
Con base imantada y cable espiral